

EXTERYA 1 Extvet is a germicidal lamp designed to air disinfection. The emitting radiation with wavelength of 253,7 nm effectively deactivates viruses, bacteria and fungi.

Minimalist design and high-quality workmanship will make the lamps a decoration of any room. Forced air circulation and tight cover of UV-C radiators enable the use of luminaires in rooms where people and animals are present.



General data: Ambient temperature range: 0°C + 35°C
 Guarantee: 2 years
 Testing approvals: Atest PZH,
 Application: M.in veterinary clinic, medical clinic, dental clinic

Electrical data: Supply: 220-240V 50/60Hz
 Equipped in radiator: YES
 Ventilators capacity 60-125m³/h
 Electrical connection: 3,5 length 3-core wire

Mechanical data: Body: aluminium, powder-coated, base made of steel (in the mobile version)

Optical indicator of the work of the radiators: YES
 Disinfection chamber equipped with dedicated reflectors made of highly polished aluminum.

Filters: As a standard, the lamp is equipped with two sets of mats consisting of: 1 x carbon filter mat + anti-dust filter mat. Additional pocket for Advanced Premium Carbon Filter or EPA 10 Premium

Air Ionizer
 Colour: white/grey
 Mounting options: mobile, wall mounted

Accessories: Remote control digital programmer with working time counter function or working time counter.



Code EAN	Mounting options	Radiator lifetime UV-C (h)	Power (W)	Number of radiators UV-C	Type of radiator (W)	Maximum volume of the room (m ³)	Maximum disinfected Surface (m ²)	Colour
5903802422894	Mobile	9000	78	1	95	90	36	white
5903802423143	Mobile	9000	78	1	95	90	36	grey
5903802423020	Mobile	9000	140	2	95	130	52	white
5903802423037	Mobile	9000	140	2	95	130	52	grey
5903802423082	Wall mounted	9000	140	2	95	130	52	white
5903802423099	Wall mounted	9000	140	2	95	130	52	grey
5903802423327	Wall mounted	9000	140	2	95	130	52	white
5903802423310	Wall mounted	9000	140	2	95	130	52	grey

Code EAN	Mounting options	Working time counter	Remote control	Timer	Fun Performance adjustment in the range 60-125m ³ /h	Dimensions (mm)	Base dimensions (mm) mobile lamps	Quantity in package (kg)
5903802422894	Mobile		YES	YES	YES	1040 x 125 x 125	280 x 280	9,9
5903802423143	Mobile		YES	YES	YES	1040 x 125 x 125	280 x 280	9,9
5903802423020	Mobile		YES	YES	YES	1040 x 125 x 125	280 x 280	10,5
5903802423037	Mobile		YES	YES	YES	1040 x 125 x 125	280 x 280	10,5
5903802423082	Wall mounted	YES	YES		YES	925 x 125 x 125		5,8
5903802423099	Wall mounted	YES	YES		YES	925 x 125 x 125		5,8
5903802423327	Wall mounted	YES	YES	YES	YES	925 x 125 x 125		5,8
5903802423310	Wall mounted	YES	YES	YES	YES	925 x 125 x 125		5,8



